# Quick and Dirty Instructions for the New ACM Typesetting Format—acmart Class

Rasit Eskicioglu now "*Retired*" Publication Chair for SENSYS and BUILDSYS and their Workshops

## **Preamble**

ACM has recently adopted a unified format (acmart.cls) for its publications. The newcomers to the communities should have no problem using it, as it will be just a template to use. This new format has several important changes that might confuse particularly those of us in the Sensys and Builders communities and in their affiliated workshops, who have been accustomed to the old (slightly modified) sig-alternate.cls style. One such change is that all ACM conference proceedings are now using 9pt fonts for the main text. This package uses free packages and fonts (Linbiolinum and LibLiberte) available in all major TeX distributions (TeXLive, MikTeX, MacTeX) 2015 and later. If you have older distributions your documents will have incorrect fonts.

# **Important Rules**

- 1. The preferred format is LageX. If you are not an avid LageX user, you can use the new Word format, but make sure to read the **User Guide** (1) carefully, and install the new Linbiolinum and LinLiberte fonts that comes with the package.
- 2. Read the User Guide (1). Read it again, especially if you were using the old style.
- 3. Do not change anything in the acmart.cls file.
- 4. Do not change any length, such as \textlength, \textheight, or any margin in the body of your paper.
- 5. Look at the sample-sigconf. tex and create your own with all of the information and *include the body of your manuscript* at the end.
- 6. The ACM-Reference-format block provides proper and full citation information of your manuscript (if published) and it is required for all manuscripts (regular or short papers, as well as demo and poster abstracts).
  Do not set printacmref to false to disable it to save space, because you will be asked to include it for your Camera Ready manuscript.
- 7. ACM now uses CCS Categories (replacing Terms) block in all publications. This block, as well as Keywords are required for all short or regular papers (not needed for demo or poster abstracts). Please provide proper content for them (see the User Guide for details).

## **Top Matter**

The details are in the User Guide (1) (pages 8–9), but I want to emphasize the fact that ACM discourages the use of the "merged" authors block, such as shown below:

Ben Trovato G.K.M. Tobin Lars Thørväld Institute for Clarity in Documentation, P.O. Box 1212, Dublin, Ohio, 43017-6221 {trovato,tobin,lars}@corporation.com

Instead, use a separate \affiliation for each author to generate the following, instead:

Ben Trovato Institute for Clarity in Documentation 
Institute for Clarity in Documentation P.O. Box 1212 Dublin, Ohio 43017-6221 trovato@corporation.com

G.K.M. Tobin P.O. Box 1212 Dublin, Ohio 43017-6221 webmaster@marysville-ohio.com

Lars Thørväld The Thørväld Group 1 Thørväld Circle Hekla, Iceland larst@affiliation.org

The title block of each (regular or short) paper is followed by four blocks:

#### ABSTRACT

This paper provides a sample of a LATEX document which conforms, somewhat loosely, to the formatting guidelines for ACM SIG Pro-

### CCS CONCEPTS

• Computer systems organization  $\rightarrow$  Embedded systems; Re*dundancy*; Robotics; • **Networks** → Network reliability;

#### KEYWORDS

ACM proceedings, LATEX, text tagging

## ACM Reference format:

Ben Trovato, G.K.M. Tobin, Lars Thørväld, Lawrence P. Leipuner, Sean Fogarty, Charles Palmer, John Smith, and Julius P. Kumquat. 2017. SIG Proceedings Paper in LaTeX Format-This is a Very Long Title That will not Fit in One Line. In Proceedings of The 8th ACM/IEEE International Conference on Cyber-Physical Systems, Pittsburgh, PA USA, April 2017 (ICCPS), 4 pages. DOI: 10.475/123 4

## 1 INTRODUCTION

The proceedings are the records of a conference<sup>2</sup>. ACM seeks to give these conference by-products a uniform, high-quality appearance. To do this, ACM has some rigid requirements for the format of the proceedings documents: there is a specified format (balanced double columns), a specified set of fonts (Arial or Helvetica and Times Roman) in certain specified sizes, a specified live area, centered on the page, specified size of margins, specified column width and gutter size.

## 2 THE BODY OF THE PAPER

Typically, the body of a paper is organized into a hierarchical structure, with numbered or unnumbered headings for sections, subsections, sub-subsections, and even smaller sections. The command \section that precedes this paragraph is part of such a hierarchy<sup>3</sup>. LATEX handles the numbering and placement of these headings for you, when you use the appropriate heading commands around the titles of the headings. If you want a sub-subsection or smaller part to be unnumbered in vour output, simply append an asterisk

Please note that the CCS CONCEPTS and the Keywords blocks are not required in demo or poster abstracts.

Once you complete the permissions process with ACM, the information you receive in a second email will contain:

\copyrightyear{2017} \setcopyright{acmcopyright} \acmConference[Sensys'17]{November 6--8 2017, Delft, The Netherlands}  $\label{lem:linear_series} $$ \operatorname{SBN}\{978-1-xxxx-xxxx-x/17/11}\acmPrice(\$15.00) $$$ \acmDOI{http://dx.doi.org/xx.xxxx/xxxxxxx.xxxxxxx}

# **Author Anonymity**

In most conferences, submission are reviewed by using either blind (reviewers are hidden from the authors) or double blind (reviewers don't know the identity of the author(s), and the author(s) don't know the identity of the reviewers) policies.

The authors should use anonymous option to hide their identity:

# SIG Proceedings Paper in LaTeX Format—This is a Very Long Title That will not Fit in One Line\*

Anonymous Author(s)

### ABSTRACT

This paper provides a sample of a LATEX document which conforms, somewhat loosely, to the formatting guidelines for ACM SIG Proceedings1.

## CCS CONCEPTS

Computer systems organization → Embedded systems; Re-

to the command name. Examples of both numbered and unnumbered headings will appear throughout the balance of this sample document.

Because the entire article is contained in the document environment, you can indicate the start of a new paragraph with a blank line in your input file; that is why this sentence forms a separate paragraph.

Sometimes, the manuscript itself may include information identifying its authors. In this case anonsuppress environment can be used. For example, the text below can be hidden when the environment is used with anonymous option:

\begin{anonsuppress} This work is continuation of Dr.~Trovato and his team at \textit{Institute for Clarity in Documentation}. This paragraph will disappear when \texttt{anonymous} option is used. \end{anonsuppress}

Here is the important content of the front page of a **Camera Ready** manuscript:

# SIG Proceedings Paper in LaTeX Format—This is a Very Long Title That will not Fit in One Line\*

Ben Trovato<sup>†</sup> Dublin, Ohio trovato@corporation.com

> Lawrence P. Leipuner Brookhaven Laboratories lleipuner@researchlabs.org

G.K.M. Tobin<sup>‡</sup> Institute for Clarity in Documentation 
Institute for Clarity in Documentation Dublin, Ohio webmaster@marysville-ohio.com

> Sean Fogarty NASA Ames Research Center Moffett Field, California fogartys@amesres.org

Lars Thørväld§ The Thørväld Group Hekla, Iceland larst@affiliation.org

Charles Palmer Palmer Research Laboratories San Antonio, Texas cpalmer@prl.com

## **ABSTRACT**

This paper provides a sample of a LATEX document which conforms, somewhat loosely, to the formatting guidelines for ACM SIG Proceedings1.

## **CCS CONCEPTS**

 Computer systems organization → Embedded systems; Re*dundancy*; Robotics; • **Networks** → Network reliability;

## **KEYWORDS**

ACM proceedings, LATEX, text tagging

## **ACM Reference Format:**

Ben Trovato, G.K.M. Tobin, Lars Thørväld, Lawrence P. Leipuner, Sean Fogarty, and Charles Palmer. 2017. SIG Proceedings Paper in LaTeX Format— This is a Very Long Title That will not Fit in One Line. In Proceedings of 15th ACM Conference on Embedded Networked Sensor Systems (Sensys). ACM, New York, NY, USA, 4 pages. https://doi.org/10.475/123\_4

on the page, specified size of margins, specified column width and gutter size.

This work is continuation of Dr. Trovato and his team at Institute for Clarity in Documentation. This paragraph will disappear when anonymous option is used.

## 2 THE BODY OF THE PAPER

Typically, the body of a paper is organized into a hierarchical structure, with numbered or unnumbered headings for sections, subsections, sub-subsections, and even smaller sections. The command \section that precedes this paragraph is part of such a hierarchy<sup>3</sup>. LATEX handles the numbering and placement of these headings for you, when you use the appropriate heading commands around the titles of the headings. If you want a sub-subsection or smaller part to be unnumbered in your output, simply append an asterisk to the command name. Examples of both numbered and unnumbered headings will appear throughout the balance of this sample document

# Sample Driver

The following **driver** snippet is used to generate the above (less the author block) output:

```
\documentclass[sigconf]{acmart}
\usepackage{balance} % For balanced columns on the last page
\setcopyright{acmcopyright} % if you give the rights to ACM
\acmDOI{...} % DOI - Insert your DOI below...
\acmISBN{...} % ISBN - Insert your conference/workshop's ISBN below...
\acmYear{2017} % Insert Publication year
\copyrightyear{2017} % Insert Copyright year (typically the same as above)
\acmPrice{15.00}
\acmConference[Short Name]{Long Name}{dates}{venue}
\begin{document}
\title[Short Title]{Long Title for Your ACM Conference Paper}
\begin{abstract}
\end{abstract}
\begin{CCSXML}
<ccs2012>
<concept>
 <concept_id>10010520.10010553.10010562</concept_id>
 <concept_desc>Computer systems organization~Embedded systems/concept_desc>
 <concept_significance>500</concept_significance>
</concept>
\end{CCSXML}
\ccsdesc[500]{Computer systems organization~Embedded systems}
\keywords{ACM proceedings, \LaTeX, text tagging}
\maketitle
\input{body-of-your-manuscript}
\bibliographystyle{ACM-Reference-Format}
\bibliography{name-of-your-bib-file}
\end{document}
```

You should generate the CCSXML code with the tool at http://dl.acm.org/ccs.cfm and copy and paste it in your "driver" file.

Please note that you may need to put the \balance towards the end of the body of your manuscript file.

# **Running Headers**

One of the changes in the new style is the "running heads". There are three potential ugliness with this: Long conference name, long manuscript title, and long author list.

ICCPSepTilo2017, RittsMargbbRA LEGA Thørväld, Lawrence P. Leipuner, Sean Fogarty, Charles Palmer, John Smith, and Julius P. Kumquat

command \textit; emboldening with the command \textbf and typewriter-style (for instance, for computer code) with \texttt.

But remember, you do not have to indicate typestyle changes when such changes are part of the structural elements of your article:

Table 1: Frequency of Special Characters

Non-English or Math Frequency Comments

To avoid "long conference title" problem, use one of the following \acmConference{...} tags for SenSys and Buildsys, respectively:

```
\acmConference[SenSys]{The 16 th ACM Conference on Embedded Networked Sensor Systems}{November 4-7, 2018} {Shenzhen, China}
\acmConference[BuildSys]{The 5th International Conference on Systems for Energy-Efficient Built Environments} {November 7-8, 2018}{Shenzhen, China}
```

Further, if you have a long title, use the optional *ShortTitle* in the \title. As a rule-of-thumb, if your title is longer than a *single column width*, then it should be shortened.

```
\title[SIG Proceedings Paper in LaTeX Format]{SIG Proceedings Paper in LaTeX Format---This is a Very Long Title That will not Fit in One Line}
```

And if you have three or more authors (or the list covers more than a *a single column width*, use the following with the first author's names:

```
\renewcommand{\shortauthors}{F. LastName et al.}
```

Lastly, use the names and last names of the authors in the "authors block" consistently. Pick one of the ways shown below and use it consistently everywhere, including your bibliographies:

```
Ben Travato
B. Travato
Lawrence P. Leipuner
L.P. Leipuner
Gordon K.M. Tobin
G.K.M. Tobin
```

# **Bibliographies and Citations**


Regular staff of the institutions, such as ACM and IEEE, review manuscripts for their archival journals to provide consistency and coherency in those publications. All other publications, such as conference proceedings and newsletters, are typically compiled by different volunteers, leading to various inconsistencies. Recently, ACM requires an additional "block", ACM Reference format:, in every publication to make the citation process easier. However, this is only one side of the coin, as we have to provide the other side by properly citing our references. Most common error is to use incomplete references to save space in the body of a paper. Keep in mind that ACM uses the natbib package and the ACM-Reference-Format.bst for processing references. Check the User Guide (1) (Section 2.10 Bibliography) and make sure that you provide all the required fields for the each bib entry.

## Acknowledgements

If you have to acknowledge someone or something in your manuscript, please insert your message between \begin{acks} and \end{acks}. This is no longer a \section in the manuscript.

# **Balanced Columns**

Although not enforced, SenSys and BuildSys communities have been using the balance package to balance the columns on the last page of the manuscripts.



# Thank you for your attention and good luck in your submissions!

# References

[1] Boris Veytsman. 2018. Lass for Association for Computing Machinery. Retrieved August 5, 2018 from http://ctan.mirror.rafal.ca/macros/latex/contrib/acmart/acmguide.pdf. The current version is 1.54.